



General Post-Operative Discharge Instructions

You should already have an appointment for suture removal in our office within 2 weeks of surgery. If not, be sure to call and schedule one.

Jennifer L. Cook, M.D.
Board Certified
Orthopaedic Surgery

Stephen A. Hanff, M.D.
Board Certified
Orthopaedic Surgery

James P. Donovan, M.D.
Board Certified
Orthopaedic Surgery

Aaron K. Mates, M.D.
Board Certified
Orthopaedic Surgery

- Leave your post-operative dressing on for 2 days. After 2 days, you may remove your dressing and apply a clean, dry dressing. Daily dry dressing changes are recommended.
- You may take a shower, however, be sure to cover the sutures with saran wrap so they do not get wet. Do not soak in a tub or go swimming.
- Please keep your incision sites clean and dry. Do not apply any ointments to your incisions.
- Elevate the surgical site as tolerated for swelling and pain control.
- Apply ice daily for swelling and pain control as needed. You should use ice at least 3 to 4 times daily for 15 to 20 minutes each time. Apply as soon as possible. Make sure to wrap ice in a towel as a barrier to keep your dressing dry.
- Despite great care, any incision can become infected. Contact the office immediately if you develop fever, chills or redness to the incision sites or drainage from the incision sites.
- If you were given a prescription for physical therapy when you scheduled your surgery please arrange for physical therapy to begin the day following your surgery.
- You were given a prescription for pain medication following your surgery. Please take pain medication as prescribed.

A REGISTERED LIMITED LIABILITY PARTNERSHIP FOR ORTHOPAEDIC SURGERY

2165 Little Road • Trinity, FL 34655 • 727-37-BONES (727-372-6637) • Fax 727-375-5044 • www.floridajointcare.com